

The logo for KOVAX, featuring the word "KOVAX" in a bold, blue, sans-serif font. The letter "O" is stylized with three diagonal lines passing through it. A registered trademark symbol (®) is located to the right of the text.

KOVAX®

CATALOGUE
2020

WWW.KOVAX.EU



Easy

The Kovax sanding system has a solution for every problem.

Quick

Our solutions provide you the means to work as efficient as possible.

Safe

You are always in control with our dry sanding system.

The Story of Perfection. Our Story.

Because of our Japanese roots, aiming for the highest quality is in our DNA. We pursue this at a product level and in our customer support. Our urge for perfection is embedded in the Japanese culture, where perfection is symbolized by a circle. Within living memory this so-called Ensō is being represented as an expression of perfection. Because the Enso is such an important and meaningful symbol with which Kovax can strongly identify, the circle is a recurring element in our design. In the Japanese writing system of Kanji Ensō also literally means 'circle of togetherness'. Meaning maintaining harmonious cooperations with relations.

This vision is fully in line with the mental legacy of Kovax. We create perfection in our ultra-modern factories, where we combine the latest (production) technologies with our 90 years of experience with the development and production of sanding solutions. The result is a complete

sanding line that enables dry sanding until the finest grit. Thanks to the impressing and extremely uniform end result you can truly differentiate yourself and, at the same time, seriously reduce your labour time. But we go even further! Our need for perfection also means we think ahead: how can we make tomorrow's work easier and more efficient for you. Or which sanding solution can we offer you for new fields of application, new materials etc. We therefore introduce regularly innovative products that are completely new world-wide.

Above all, however, we are seeking perfection by creating harmonious relationships with our customers. Personal contact, loyalty and short lines of communication. Be in touch with each other.

That is the force of Kovax. That is our Story of Perfection!

The Kovax Family

44
countries

One of the basic principles within the Japanese culture is loyalty. This was already applied by the Japanese Samurai warriors. Kovax also is a strong supporter: in all our relations we strive for a long term cooperation, based on mutual respect and trust.

Meanwhile our partner network consists of partners from 44 countries. Together we cooperate, share knowledge and our partners mutually respect each other's markets. In doing so we create new business opportunities, enlarge each other's success and realise continuity. A stable future, particularly in changing market conditions.

Together we stand strong and can we face any challenge. We are the Kovax family!

ICONS

Discover, by means of the icons, the right Kovax solutions for each application. At a single glance you see which products are suitable for which applications.

APPLICATION

-  METAL SANDING
-  REMOVING OLD LAYERS
-  PUTTY SANDING
-  PRIMER SANDING
-  BLENDING
-  REMOVING IMPERFECTIONS
-  FINISHING
-  WATERPROOF

TIPS

-  PRODUCT TIPS
-  PRACTICAL TIPS

ADHESION

-  SUPER TACK
-  STICK-ON

The prices in our ordering system SAP are rounded off to two decimal places. Especially with large quantities this can cause small rounding errors, for which we cannot be held liable.

DISCOVER OUR EXTENDED RANGE

Kofle-X Slim & Performance
Page 20




Sanding Blocks 4 sided
Page 21




Doubleflex Softpads
Page 21




Magic Disc 400 & 500
Page 17



Super Assilex K500 & K1000
Page 24 & 26



Tolecut K800 / K1200 / K2500
Page 27



Toleblocks M / QS / QM
Page 28



Buflex Dry K2500
Page 32



Dry Guide Coat
Page 46



Premium Masking Tape
Page 47



Premium Spray Suit
Page 47



6

TOP PRODUCTS

10

MACHINE SANDING

Maxcut	10
Tri-Pro	12
Premium	14
Maxfilm	16
NEW Magic Disc	17
Yellow Film	17

18

MANUAL SANDING

Maxcut	18
Premium	19
NEW Kofle-X	20
Foam-X rolls	20
Highflex	21
NEW Doubleflex	21
NEW Sanding block 4 sided	21
Sheets without adhesion	22
Tri-Pro Super Tack rolls	22
Waterproof	22

24

SUPER ASSILEX

NEW Super Assilex discs	24
Super Assilex pads	25
NEW Super Assilex sheets & accessories	26

27

FINISHING

NEW Tolecut	27
Yellow Film	28
Tolex	30
NEW Buflex Dry	32
Buflex Wet	34
Assilex Stick-On & accessories	35
Polish	36
Polish Pads	37

38


TOOLS & OTHER

Prima-X tool line	38
Tools	42
Back-up & interface pads	44
NEW Accessories	46
Handblocks	48
Pro-Mate Workstation	50
Spot On 2.0 kit	52
NEW Pro-Xpose	52

53

REGISTER

TOP PRODUCTS





MAXCUT P60 - P180

THE NUMBER 1 SOLUTION WHEN SANDING HARD PUTTY AND METAL.



ADVANTAGES MAXCUT

The Maxcut products have specially hardened Aluminium Oxide grains, which score a 9.8 on Mohs scale of mineral hardness. Compared to the hardest mineral, which is industrially produced diamond with a score of 10, this is nearly the hardest existing mineral and thus perfectly suited for extremely hard sanding work. Thanks to its open structure clogging will be prevented.





TRI-PRO P40 - P600

PRICE-PERFORMANCE WINNER FOR THE WHOLE SANDING PROCESS, FROM SANDING TO BARE METAL TO SANDING PRIMER.



ADVANTAGES TRI-PRO

Tri-Pro can be used for all sanding steps, from sanding to bare metal to sanding primer. To prevent clogging, Tri-Pro has been subjected to an anti-clogging treatment.




PREMIUM P60 - P600

PREMIUM IS USED FOR THE COMPLETE SANDING PROCESS, FROM SANDING TO BARE METAL TO SANDING PRIMER.



ADVANTAGES PREMIUM

The aggressiveness of Premium products results in a high cutting power. At the same time the uniform sanding scratches prevent intensive refinishing.





MAXFILM P80 - P600

MAXFILM STANDS FOR MAXIMUM DURABILITY FOR ALL YOUR SANDING WORK, FROM SANDING TO BARE METAL TO SANDING PRIMER.



ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains beget integrated into the backing. In combination with its double anti-clogging coating this results in a significantly longer lifetime. The printed P-value on top of the disc ensures maximum ease of use.

152 MM



125 MM



SUPER ASSILEX K240 - K1500

THE UNIQUE WAY OF DRY SANDING, UNIFORMITY AND FLEXIBILITY THAT AMAZE.



ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. The products of Super Assilex are supporting you during your daily sanding jobs due to Super Assilex' outstanding cutting performance and speed. This results in more efficiency. Super Assilex prevents potential problems in the rest of the sanding process.

152 MM




125 MM



75 MM



130 x 170 MM



MAGIC DISC 320 - 500

SPECIALLY DEVELOPED SANDING DISC FOR E-COAT AND VERY HARD, MAT CLEAR COAT SANDING.



ADVANTAGES MAGIC DISC

The Magic Disc with its film backing, the new developed diamond grain and the new generation 2.0 anti-clogging coating, has an unbelievable long lifetime on hard coatings. High aggressiveness comes together with very uniform scratches.


152 MM



USE **SPY SPRAY** OR **DRY GUIDE COAT** WHEN SANDING PUTTY AND PRIMER.

PAGE 46

FOR THE **BEST & FASTEST RESULTS**, USE 5 MM ORBIT FOR ALL OUR PRODUCTS.





YELLOW FILM P800 - P2000

THE NUMBER 1 SOLUTION FOR BLENDING ZONES, WITH A GUARANTEED PERFECTLY, NON-VISIBLE TRANSITION FROM OLD TO NEW CLEAR COAT.



ADVANTAGES YELLOW FILM

The film backing in combination with an anti-burning coating allows a cool sanding process. Consequently burning spots can be brought to a minimum and the risk of deep scratches is reduced significantly. Yellow Film is ideal for top coat sanding, removal of imperfections and removal of orange peel structure. The main markets of Yellow Film are the automotive sector, as well as the wood market.





TOLEX K1500

TOLEX IS A POLISH TIME REDUCING CHAMPION WITH A VERY FINE SANDING SCRATCH.



ADVANTAGES TOLEX

The special combination of micro grains used for the production of Tolex and its innovative latex backing, results in a sanding scratch of less than 1 micron. A scratch this fine, significantly reduces polishing time. Thanks to the dry sanding process, the risk of sanding through the clear coat is brought to the minimum.



TOLECUT K800 - K3000


THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.



ADVANTAGES TOLECUT

Tolecut is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. Through the constant visible result, the risk to sand through the topcoat is reduced to a minimum. Tolecut is unique in its cutting power and due to its flexibility, when using the Tolecard, it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.





BUFLEX DRY

K2000 - K3000

*THE FINEST ABRASIVE FOR
MAXIMUM POLISH TIME
REDUCTION.*



ADVANTAGES BUFLEX DRY

The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed female-female velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry remains the coating structure.

152 MM



125 MM



75 MM




130 x 170 MM



MAXCUT


MAXCUT SUPER TACK DISCS 203 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
583-0060	P60	  	50	300
583-0080	P80	  	50	300
583-0120	P120	  	50	300




MAXCUT SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
569-0060	P60	  	50	400
569-0080	P80	  	50	400
569-0120	P120	  	50	400
569-0180	P180		50	600



MAXCUT SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
563-0060	P60	  	50	400
563-0080	P80	  	50	400
563-0120	P120	  	50	400
563-0180	P180		50	600



MAXCUT SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
562-0060	P60	  	50	400
562-0080	P80	  	50	400
562-0120	P120	  	50	400
562-0180	P180		50	600




 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.

 USE MAXCUT WITH LOW MACHINE SPEED FOR MAXIMUM PERFORMANCE.
IDEAL FOR SANDING OLD COATINGS, PUTTY, BARE METAL & HARDWOOD LIKE BEECH OR WALNUT.


**MAXCUT SUPER TACK DISCS
125 MM - 7 HOLES**

Art. No.	Grit	Application	Box	Carton
553-0080	P80	  	50	400
553-0120	P120	  	50	400



**MAXCUT SUPER TACK DISCS
125 MM - WITHOUT HOLES**

Art. No.	Grit	Application	Box	Carton
552-0060	P60	  	50	400
552-0080	P80	  	50	400
552-0120	P120	  	50	400
552-0180	P180		50	600




 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.

TRI-PRO

TRI-PRO SUPER TACK DISCS 152 MM - 15 HOLES

MACHINE SANDING

Art. No.	Grit	Application	Box	Carton
527-0040	P40		50	600
527-0060	P60		100	800
527-0080	P80		100	800
527-0100	P100		100	800
527-0120	P120		100	1200
527-0150	P150		100	1200
527-0180	P180		100	1200
527-0220	P220		100	1200
527-0240	P240		100	1200
527-0280	P280		100	1200
527-0320	P320		100	1200
527-0360	P360		100	1200
527-0400	P400		100	1200
527-0500	P500		100	1200
527-0600	P600		100	1200



TRI-PRO SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
525-0060	P60		100	800
525-0080	P80		100	800
525-0100	P100		100	800
525-0120	P120		100	1200
525-0150	P150		100	1200
525-0180	P180		100	1200
525-0220	P220		100	1200
525-0240	P240		100	1200
525-0280	P280		100	1200
525-0320	P320		100	1200
525-0360	P360		100	1200
525-0400	P400		100	1200
525-0500	P500		100	1200
525-0600	P600		100	1200





USE **SPY SPRAY** OR
DRY GUIDE COAT
WHEN SANDING
PUTTY AND PRIMER.

PAGE 46



**TRI-PRO SUPER TACK DISCS
125 MM - 8 HOLES**

Art. No.	Grit	Application	Box	Carton
557-0060	P60		100	800
557-0080	P80		100	800
557-0100	P100		100	800
557-0120	P120		100	1200
557-0150	P150		100	1200
557-0180	P180		100	1200
557-0220	P220		100	1200
557-0240	P240		100	1200
557-0280	P280		100	1200
557-0320	P320		100	1200
557-0360	P360		100	1200
557-0400	P400		100	1200
557-0500	P500		100	1200
557-0600	P600		100	1200



USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.


**TRI-PRO SUPER TACK DISCS
125 MM - WITHOUT HOLES**

Art. No.	Grit	Application	Box	Carton
514-0060	P60		100	800
514-0080	P80		100	800
514-0100	P100		100	800
514-0120	P120		100	1200
514-0150	P150		100	1200
514-0180	P180		100	1200
514-0220	P220		100	1200
514-0240	P240		100	1200
514-0280	P280		100	1200
514-0320	P320		100	1200
514-0360	P360		100	1200
514-0400	P400		100	1200
514-0500	P500		100	1200
514-0600	P600		100	1200



USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.

**TRI-PRO BACK-UP PAD
125 MM - 8 HOLES**



Art. No.	Thread size	Box
885-0169	5/16"	1

**TRI-PRO INTERFACE PAD
125 MM - 8 HOLES**




Art. No.	Box
885-0712	2

PREMIUM


PREMIUM SUPER TACK DISCS 203 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
786-0180	P180		50	300
786-0240	P240		50	300
786-0320	P320		50	300




PREMIUM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
568-0060	P60		50	400
568-0080	P80		50	400
568-0120	P120		50	400
568-0150	P150		50	600
568-0180	P180		50	600
568-0220	P220		50	600
568-0240	P240		50	600
568-0280	P280		50	600
568-0320	P320		50	600
568-0360	P360		50	600
568-0400	P400		50	600
568-0500	P500		50	600
568-0600	P600		50	600



PREMIUM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
566-0060	P60		50	400
566-0080	P80		50	400
566-0120	P120		50	400
566-0150	P150		50	600
566-0180	P180		50	600
566-0220	P220		50	600
566-0240	P240		50	600
566-0280	P280		50	600
566-0320	P320		50	600
566-0360	P360		50	600
566-0400	P400		50	600
566-0500	P500		50	600
566-0600	P600		50	600



PREMIUM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
565-0080	P80	  	50	400
565-0120	P120	  	50	400
565-0180	P180		50	600
565-0220	P220		50	600
565-0240	P240	 	50	600
565-0320	P320	 	50	600
565-0400	P400	 	50	600
565-0500	P500	 	50	600
565-0600	P600	 	50	600

PREMIUM SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-0060	P60	  	50	1800
730-0080	P80	  	50	1800
730-0120	P120	  	50	1800
730-0150	P150		50	1800
730-0180	P180		50	1800
730-0220	P220		50	1800
730-0240	P240	 	50	1800
730-0280	P280	 	50	1800
730-0320	P320	 	50	1800
730-0400	P400	 	50	1800
730-0500	P500	 	50	1800
730-0600	P600	 	50	1800

MAXFILM

MAXFILM SUPER TACK DISCS 152 MM - 15 HOLES

MACHINE SANDING

Art. No.	Grit	Application	Box	Carton
523-0080	P80		50	600
523-0120	P120		50	600
523-0150	P150		50	600
523-0180	P180		50	600
523-0220	P220		50	600
523-0240	P240		50	600
523-0280	P280		50	600
523-0320	P320		50	600
523-0360	P360		50	600
523-0400	P400		50	600
523-0500	P500		50	600
523-0600	P600		50	600




MAXFILM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
521-0120	P120		50	600
521-0150	P150		50	600
521-0180	P180		50	600
521-0220	P220		50	600
521-0240	P240		50	600
521-0280	P280		50	600
521-0320	P320		50	600
521-0360	P360		50	600
521-0400	P400		50	600
521-0500	P500		50	600
521-0600	P600		50	600



MAXFILM SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
513-0120	P120		50	600
513-0150	P150		50	600
513-0180	P180		50	600
513-0220	P220		50	600
513-0240	P240		50	600
513-0320	P320		50	600
513-0400	P400		50	600
513-0500	P500		50	600
513-0600	P600		50	600



MAGIC DISC

MAGIC DISC SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
528-0320	320		10	200
528-0400	400		10	200
528-0500	500		10	200


NEW
NEW



USE THE MAGIC DISC 320 & 400 TO PREPARE E-COAT SURFACES. USE MAGIC DISC 500 TO PREPARE MATT- AND SCRATCH-RESISTANT CLEAR COATS BEFORE REPAINTING.




USE IN COMBINATION WITH THE HARD SUPER ASSILEX INTERFACE PAD (971-0057) (PAGE 25) FOR EASIER USE ON CONVEX AND CONCAVE PARTS.



YELLOW FILM


YELLOW FILM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
524-0800	P800		50	600
524-1000	P1000		50	600
524-1200	P1200		50	600
524-1500	P1500		50	600
524-2000	P2000		50	600




YELLOW FILM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
779-0800	P800		50	600
779-1000	P1000		50	600
779-1200	P1200		50	600
779-1500	P1500		50	600




YELLOW FILM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
778-0800	P800		50	600
778-1000	P1000		50	600
778-1200	P1200		50	600
778-1500	P1500		50	600



YELLOW FILM SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
555-0800	P800		50	600
555-1000	P1000		50	600
555-1200	P1200		50	600
555-1500	P1500		50	600




FOR MAXIMUM DURABILITY USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.

MAXCUT

MAXCUT SUPER TACK SHEETS 115 X 225 MM - 10 HOLES


Art. No.	Grit	Application	Box	Carton
516-0060	P60	  	50	500
516-0080	P80	  	50	500
516-0120	P120	  	50	500
516-0180	P180		50	500



MANUAL SANDING


MAXCUT SUPER TACK SHEETS 70 X 419 MM - 14 HOLES

Art. No.	Grit	Application	Box	Carton
799-0060	P60	  	50	800
799-0080	P80	  	50	800
799-0120	P120	  	50	800
799-0180	P180		50	800




MAXCUT SUPER TACK SHEETS 70 X 198 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
547-0060	P60	  	50	1200
547-0080	P80	  	50	1200
547-0120	P120	  	50	1200
547-0180	P180		50	1200



MAXCUT SUPER TACK SHEETS 70 X 127 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
546-0080	P80	  	50	1800
546-0120	P120	  	50	1800
546-0180	P180		50	1800



SAND CROSSWISE TO AVOID DEEP SANDING SCRATCHES.
LOOK ON PAGE 48 FOR ALL OUR HANDBLOCKS.

PREMIUM

PREMIUM SUPER TACK SHEETS 115 X 225 MM - 10 HOLES

Art. No.	Grit	Application	Box	Carton
716-0080	P80		50	500
716-0120	P120		50	500
716-0180	P180		50	1000
716-0240	P240		50	1000
716-0320	P320		50	1000
716-0400	P400		50	1000



PREMIUM SUPER TACK SHEETS 70 X 419 MM - 14 HOLES

Art. No.	Grit	Application	Box	Carton
748-0080	P80		50	800
748-0120	P120		50	800
748-0180	P180		50	800
748-0240	P240		50	800
748-0320	P320		50	800
748-0400	P400		50	800



MANUAL SANDING

PREMIUM SUPER TACK SHEETS 70 X 198 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
747-0080	P80		50	1600
747-0120	P120		50	1600
747-0180	P180		50	1600
747-0240	P240		50	1600
747-0320	P320		50	1600
747-0400	P400		50	1600



PREMIUM SUPER TACK SHEETS 70 X 127 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
746-0240	P240		50	2400
746-0320	P320		50	2400



KOFLE-X SLIM HAND PADS 115 X 230 MM

Art. No.		Grit	Application	Box
900-7950	Red	Very Fine		25
900-7951	Grey	Ultra Fine		25

FLEXIBLE MATERIAL FOR HARD-TO-REACH SPOTS.
USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING.

SCUFFING ALTERNATIVE FOR SUPER ASSILEX. ECONOMIC CHOICE

KOFLE-X PERFORMANCE HAND PADS 115 X 230 MM

Art. No.		Grit	Application	Box
900-7952	Red	Very Fine		20
900-7953	Grey	Ultra Fine		20

THICKER & MORE AGGRESSIVE.
USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING.

SCUFFING ALTERNATIVE FOR SUPER ASSILEX. ECONOMIC CHOICE

KOFLE-X PERFORMANCE ROLLS 115 MM X 10 M

Art. No.		Grit	Application	Box
900-7954	Red	Very Fine		1
900-7955	Grey	Ultra Fine		1

USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING. SCUFFING ALTERNATIVE FOR SUPER ASSILEX. ECONOMIC CHOICE

MATTING PASTE FINE - WATERBASE 1 L

Art. No.
852-0260

THE COMBINATION OF MATTING PASTE AND KOFLE-X OFFERS A MORE UNIFORM SANDING RESULT AND ENABLES A SIGNIFICANT REDUCTION OF COUNTER-PRESSURE DURING SANDING.

FOAM-X ROLLS 115 MM X 25 M

Art. No.	Grit	Application	Box
KFX-0180	P180		1
KFX-0240	P240		1
KFX-0320	P320		1
KFX-0400	P400		1
KFX-0500	P500		1
KFX-0600	P600		1
KFX-0800	P800		1

SANDING ALTERNATIVE FOR SUPER ASSILEX. ECONOMIC CHOICE



HIGHFLEX SOFTPADS 115 X 140 X 6 MM

Art. No.	Grit	Application	Box
HFX-MEDIUM-20	Medium		20
HFX-FINE-20	Fine		20
HFX-SUPERFINE-20	Super Fine		20
HFX-ULTRAFINE-20	Ultra Fine		20
HFX-MICROFINE-20	Micro Fine		20



GOOD SANDING ALTERNATIVE FOR SUPER ASSILEX.

ECONOMIC CHOICE

HIGHFLEX SOFTPADS 115 X 140 X 6 MM

Art. No.	Grit	Application	Box
HFX-MEDIUM	Medium		100
HFX-FINE	Fine		100
HFX-SUPERFINE	Super Fine		100
HFX-ULTRAFINE	Ultra Fine		100
HFX-MICROFINE	Micro Fine		100



GOOD SANDING ALTERNATIVE FOR SUPER ASSILEX.

ECONOMIC CHOICE

DOUBLEFLEX SOFTPADS 123 X 98 X 13 MM

Art. No.	Grit	Application	Box
901-0010	Grey Medium		100
901-0020	Red Fine		100
901-0030	Blue Super Fine		100
901-0040	Green Ultra Fine		100
901-0050	Beige Micro Fine		100



AVAILABLE FROM MID QUARTER 1.

DUE TO ITS FLEXIBLE POLYURETHANE FOAM, DOUBLEFLEX ADOPTS EASILY TO THE SURFACE CONTOUR.

ECONOMIC CHOICE

SANDING BLOCK 4 SIDED 100 X 68 X 25 MM

Art. No.	Grit	Application	Box
902-0010	Medium		250
902-0020	Fine		250
902-0030	Super Fine		250
902-0040	Ultra Fine		250



AVAILABLE FROM MID QUARTER 1.

IDEAL FOR WOOD WORKING. MAKES IT POSSIBLE TO PROCESS CORNERS, EDGES AND RIGHT ANGLES.

ECONOMIC CHOICE

SHEETS - WITHOUT ADHESION 115 X 280 MM

Art. No.	Grit	Application	Box	Carton
220-0040	P40		100	800
221-0060	P60		100	800
221-0080	P80		100	1000
221-0100	P100		100	1000
221-0120	P120		100	1000
224-0150	P150		100	2000
224-0180	P180		100	2000
224-0220	P220		100	2000
224-0240	P240		100	2000
224-0280	P280		100	2000
224-0320	P320		100	2000
224-0360	P360		100	2000
224-0400	P400		100	2000



MANUAL SANDING

TRI-PRO SUPER TACK ROLL 115 MM X 25 M

Art. No.	Grit	Application	Box	Carton
872-0040	P40	 	1	4
872-0060	P60	 	1	8
872-0080	P80	 	1	8
872-0120	P120		1	8
872-0150	P150		1	12
872-0180	P180		1	12
872-0240	P240		1	12
872-0320	P320		1	12
872-0400	P400		1	12



MAINLY USED IN MARINE INDUSTRY.

WATERPROOF BROWN - ALUMINIUM OXIDE 230 X 280 MM

Art. No.	Grit	Application	Box	Carton
105-0180	P180		50	1000
105-0220	P220		50	1000
105-0240	P240	 	50	1000
105-0280	P280		50	1000
105-0320	P320		50	1000
105-0400	P400		50	1000
105-0600	P600		50	1000
105-0800	P800	 	50	1000
105-1000	P1000	 	50	1000
105-1200	P1200	 	50	1000



 CAN BE USED WITH THE CANDYBLOCK (971-0001).

WATERPROOF BLACK - SILICON CARBIDE
230 X 280 MM



Art. No.	Grit	Application	Box	Carton
101-0060	P60	☉	50	500
101-0080	P80	☉	50	500
101-0100	P100	☉	50	500
101-0120	P120	☉	50	500
102-0150	P150	☉	50	1000
102-0180	P180	☉	50	1000
102-0220	P220	☉	50	1000
102-0240	P240	☉ 🛠️	50	1000
102-0280	P280	🛠️	50	1000
102-0320	P320	🛠️	50	1000
102-0360	P360	🛠️	50	1000
102-0400	P400	🛠️	50	1000
102-0500	P500	🛠️	50	1000
102-0600	P600	🛠️	50	1000
102-0800	P800	🛠️ 🧤	50	1000
102-1000	P1000	🛠️ 🧤	50	1000
102-1200	P1200	🛠️ 🧤	50	1000
102-1500	P1500	🧤	50	1000
102-2000	P2000	🧤	50	1000



MANUAL SANDING



CAN BE USED WITH THE CANDYBLOCK (971-0001).

CANDYBLOCK
140 X 70 MM & 45 X 70 MM

Art. No.
971-0001



SUPER ASSILEX DISCS

SUPER ASSILEX SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-2537	K240*		25	1000
193-2535	K320*		25	1000
193-1575	K360*		25	1000
193-2533	K400*		25	1000
NEW 193-2532 ¹	K500*		25	1000
193-1578	K600*		25	1000
193-1579	K800*		25	1000
NEW 193-2527	K1000*		25	1000
193-1580	K1200*		25	1000
193-2525	K1500		25	1000


¹SUPER ASSILEX K500 IS AVAILABLE FROM MID 2020.



USE MICRO VELCRO INTERFACE PAD **971-0057** (HARD) TO FLAT THE SURFACE AND INCREASE AGGRESSIVENESS AND INTERFACE PAD **971-0091** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS.



* FOR ECONOMIC ALTERNATIVES FOR SCUFFING & SANDING GO TO PAGE 20-21.



SUPER ASSILEX

SUPER ASSILEX SUPER TACK DISCS 152 MM - 7 HOLES


Art. No.	Grit	Application	Box	Carton
193-1538	K600*		25	1000
193-1539	K800*		25	1000
193-1540	K1200*		25	1000



USE MICRO VELCRO INTERFACE PAD **971-0049** (HARD) TO FLAT THE SURFACE AND INCREASE AGGRESSIVENESS AND INTERFACE PAD **971-0039** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS.




SUPER ASSILEX SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1538	K600*		25	1000
195-1539	K800*		25	1000
195-1540	K1200*		25	1000



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE IN COMBINATION WITH BACK-UP PAD **972-0003** (PAGE 44) AND INTERFACE PAD **971-0044** (PAGE 45).




SUPER ASSILEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-2510	K600*		50	1800
730-2508	K800*		50	1800
730-2507	K1200*		50	1800

INCLUDING INTERFACE PAD **971-7503** (PAGE 45).



ALSO IDEAL FOR SANDING SOLID MINERAL SURFACES (K320, K360, K400, K500, K600) AND SANDING OLD COATINGS IN THE WOOD BRANCH (K240, K320).




SUPER ASSILEX PADS

SUPER ASSILEX BACK-UP PAD - **HARD** 150 MM - 15 HOLES

Art. No.	Thread Size	Box
885-0163	5/16"	1



SUPER ASSILEX SUPER TACK INTERFACE PAD - **HARD** 150 MM - 15 HOLES



Art. No.	Box
971-0057	2

USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS.


SUPER ASSILEX SUPER TACK INTERFACE PAD - **HARD** 150 MM - 7 HOLES



Art. No.	Box
971-0049	2

USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS.


SUPER ASSILEX SUPER TACK INTERFACE PAD - **SOFT** 150 MM - 15 HOLES



Art. No.	Box
971-0091	2

USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

SUPER ASSILEX SUPER TACK INTERFACE PAD - **SOFT** 150 MM - 7 HOLES



Art. No.	Box
971-0039	2

USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.


USE MICRO VELCRO INTERFACE PADS FOR SUPER ASSILEX DISCS TO AVOID SANDING SCRATCHES CAUSED BY TOO COARSE VELCRO.

SUPER ASSILEX

SUPER ASSILEX SHEETS & ACCESSORIES

SUPER ASSILEX SUPER TACK SHEETS 130 X 170 MM

Art. No.	Grit	Application	Box	Carton
191-2517	K240*		25	500
191-2515	K320*		25	500
191-1515	K360*		25	500
191-2513	K400*		25	500
NEW 191-2512 ¹	K500*		25	500
191-1508	K600*		25	500
191-1509	K800*		25	500
NEW 191-2507	K1000*		25	500
191-1510	K1200*		25	500
191-2505	K1500		25	500



¹SUPER ASSILEX K500 IS AVAILABLE FROM MID 2020


WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.
*SEE PAGE 24 FOR PRODUCT TIP.

SUPER ASSILEX SUPER TACK HAND PADS

Art. No.			Box
971-0026	HAND PAD L	97 x 150 MM	2
971-0025	HAND PAD M	75 x 120 MM	4
971-0094	HAND PAD M - Hard	75 x 120 MM	4

USE SUPER ASSILEX SUPER TACK HAND PAD M - HARD (971-0094) ONLY IN COMBINATION WITH SUPER ASSILEX K240 SHEETS 130 X 85 MM.

HAND PAD L & M (971-0026, 971-0025) HAVE TWO CORNERS WITHOUT VELCRO, SO THE SHEET CAN EASILY BE PEELED OFF WITHOUT DAMAGING THE PAD.




SUPER ASSILEX INTERFACE PAD 75 X 120 MM

Art. No.	Box
971-0035	4

USE IN COMBINATION WITH ASSILEX/BUFLEX DRY SANDER KO-202 (910-0202) (PAGE 42).



SUPER ASSILEX HANDBLOCK & INTERFACE PAD - LARGE 120 X 160 MM



Art. No.		For Sheet	Box
885-2140	HANDBLOCK	130 x 170 MM	1
885-2191	INTERFACE PAD	130 x 170 MM	1

SUPER ASSILEX HANDBLOCK & INTERFACE PAD - SMALL 72 X 125 MM



Art. No.		For Sheet	Box
885-2190	HANDBLOCK	130 x 85 MM	1
885-2197	INTERFACE PAD	130 x 85 MM	1

COMBINE THE SUPER ASSILEX HANDBLOCKS AND INTERFACE PADS (EXTRA HARD) TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS. USAGE WITHOUT INTERFACE PAD MAKES THE HANDBLOCK MORE FLEXIBLE.

TOLECUT

TOLECUT STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1517	K800	☒	25	1000
191-1516	K1200	☒	25	1000
191-1513	K1500	☒	25	1000
191-1512	K2000	☒	25	1000
191-1519	K2500	☒	25	1000
191-1511	K3000	☒	25	1000

NEW

 K800 & K1200 IDEAL FOR REMOVING RUNNERS AND FLATTENING BIGGER SURFACES.

 USE IN COMBINATION WITH TOLECARD (971-0048), TOLECUT HAND PAD (858-1550) OR TOLEBLOCK QM (971-0055) (PAGE 28).



TOLECARD 66 X 110 MM

Art. No.	Box
971-0048	10

 MAXIMUM FLEXIBILITY FOR CURVES AND EDGES.



TOLECUT HAND PAD 110 X 65 X 46 MM

Art. No.	Box
858-1550	1

 USE THE BLUE SIDE (SOFT) FOR MORE FLEXIBILITY AND THE WHITE SIDE (HARD) FOR MORE AGGRESSIVENESS.



TOLECUT STICK-ON SHEETS - 1/8 29 X 35 MM

Art. No.	Grit	Application	Box	Carton
191-1527	K800	☒	200	8000
191-1526	K1200	☒	200	8000
191-1523	K1500	☒	200	8000
191-1522	K2000	☒	200	8000
191-1528	K2500	☒	200	8000
191-1521	K3000	☒	200	8000

NEW

 USE K800 & K1200 TO REMOVE BIGGER IMPERFECTIONS.

 USE IN COMBINATION WITH TOLEBLOCK (971-0047) OR TOLEBLOCK QS (971-0056) (PAGE 28).



TOLECUT STICK-ON SHEETS - 1/4 70 X 29 MM

Art. No.	Grit	Application	Box	Carton
191-1546	K800	☒	100	4000
191-1547	K1200	☒	100	4000

 FOR THE REMOVAL OF RUNNERS AND BIGGER IMPERFECTIONS ON FLAT SURFACES.

 USE IN COMBINATION WITH TOLEBLOCK M (971-0055) (PAGE 28).



TOLEBLOCK 26 X 32 MM

Art. No.	Box
971-0047	10



FINISHING

TOLEBLOCK M 68 X 27 MM

Art. No.	Box
971-0055	5

 FOR ERASING RUNNERS. USE IN COMBINATION WITH TOLE CUT 1/4.



TOLEBLOCK QS ROUND SMALL

Art. No.	Box
971-0056	6

 USE WITH TOLE CUT 1/8 FOR SANDING IN ROUND / CONCAVE AREAS.



TOLEBLOCK QM ROUND BIG

Art. No.	Box
971-0059	2


 USE WITH TOLE CUT SHEET FOR SANDING IN ROUND / CONCAVE AREAS.



TOLE CUT STICK-ON DISCS 34 MM

Art. No.	Grit	Application	Box
192-1513	K1500	✕	600
192-1512	K2000	✕	600
192-1511	K3000	✕	600

 RECOMMENDED FOR THE INDUSTRY. MACHINE USAGE: USE IN COMBINATION WITH STICK-ON INTERFACE TRANSFER PAD (910-3501-36). MANUAL USAGE: USE IN COMBINATION WITH DOUBLE FINGER PAD (971-0023).




FINISHING

YELLOW FILM


YELLOW FILM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
524-0800	P800		50	600
524-1000	P1000		50	600
524-1200	P1200		50	600
524-1500	P1500		50	600
524-2000	P2000		50	600



YELLOW FILM SUPER TACK DISCS 152 MM - 7 HOLES


Art. No.	Grit	Application	Box	Carton
779-0800	P800		50	600
779-1000	P1000		50	600
779-1200	P1200		50	600
779-1500	P1500		50	600



 FOR MAXIMUM DURABILITY, USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.


**YELLOW FILM SUPER TACK DISCS
152 MM - WITHOUT HOLES**

Art. No.	Grit	Application	Box	Carton
778-0800	P800		50	600
778-1000	P1000		50	600
778-1200	P1200		50	600
778-1500	P1500		50	600




**YELLOW FILM SUPER TACK DISCS
125 MM - 7 HOLES**

Art. No.	Grit	Application	Box	Carton
555-0800	P800		50	600
555-1000	P1000		50	600
555-1200	P1200		50	600
555-1500	P1500		50	600



**YELLOW FILM SUPER TACK DISCS
75 MM - WITHOUT HOLES**

Art. No.	Grit	Application	Box	Carton
730-0800	P800		50	1800
730-1500	P1500		50	1800
730-2000	P2000		50	1800



INCLUDING INTERFACE PAD **971-7502** (PAGE 45).

**YELLOW FILM STICK-ON DISCS
35 MM - WITHOUT HOLES**

Art. No.	Grit	Application	Box	Carton
881-1500	P1500		100	2000
881-2000	P2000		100	2000



USE IN COMBINATION WITH INTERFACE TRANSFER PAD **910-3501-36** OR DOUBLE FINGER PAD (**971-0023**) FOR MANUAL USE.

**DOUBLE FINGER PAD
31 MM**

Art. No.	Box
971-0023	5



USE IN COMBINATION WITH YELLOW FILM STICK-ON (**881-1500, 881-2000**) AND TOLECUT STICK-ON (**192-1513, -1512, -1511**).

**STICK-ON INTERFACE TRANSFER PAD
31 MM**

Art. No.	Box
910-3501-36	1




FOR TOUCH-UP SANDER (**910-3501**) (PAGE 42). THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON. SUITABLE FOR YELLOW FILM STICK-ON (**881-1500, 881-2000**) AND TOLECUT STICK-ON (**192-1513, -1512, -1511**).

TOLEX

TOLEX SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-1563	K1500		25	1000

 USE IN COMBINATION WITH MICRO VELCRO TOLEX INTERFACE PAD (971-0027).



TOLEX SUPER TACK INTERFACE PAD 150 MM - 15 HOLES


Art. No.	Box
971-0027	MICRO VELCRO 2



TOLEX SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1593	K1500		25	1000

 USE IN COMBINATION WITH MICRO VELCRO INTERFACE PAD 971-0044 (PAGE 45).



TOLEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-1502	K1500		50	1800

INCLUDING INTERFACE PAD 971-7503 (PAGE 45).




TOLEX SUPER TACK SHEETS 130 X 170 MM

Art. No.	Grit	Application	Box	Carton
191-1533	K1500		25	500

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE WITH SUPER ASSILEX HAND PAD M (971-0025) OR SUPER ASSILEX HAND PAD L (971-0026) (PAGE 26). FOR AN EVEN FINER RESULT USE THE BUFLEX DRY HAND PAD (971-0060) (MANUAL USE) OR INTERFACE PAD (971-0061) (MACHINE USE) (PAGE 33).

 UTILIZE TOLEX K1500 IN BETWEEN YELLOW FILM AND BUFLEX DRY TO ACHIEVE MAXIMUM TIME SAVING DURING THE POLISHING PROCESS.



TOLEX STICK-ON

TOLEX STICK-ON DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
192-1503	K1500		25	1500

 FOR MORE AGGRESSIVENESS USE INTERFACE PAD HARD (971-0017).
FOR MORE UNIFORMITY USE INTERFACE PAD SOFT (971-0014).



TOLEX STICK-ON INTERFACE PAD - HARD 150 MM - WITHOUT HOLES

Art. No.	Box
971-0017	2



TOLEX / BUFLEX WET STICK-ON INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES

Art. No.	Box
971-0014	2



FINISHING

TOLEX STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1503	K1500		25	750

 USE IN COMBINATION WITH TOLEX STICK-ON HAND PAD (971-0016).



TOLEX STICK-ON HAND PAD 62 X 111 MM

Art. No.	Box
971-0016	2



BUFLEX DRY


BUFLEX DRY SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-1565	K2000		25	1000
193-1562	K2500		25	1000
193-1564	K3000		25	1000

NEW



ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0065**.



BUFLEX DRY SUPER TACK INTERFACE PAD 150 MM - 15 HOLES

Art. No.	Box
971-0065	FEMALE - FEMALE VELCRO 2




FINISHING

BUFLEX DRY SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1535	K2000		25	1000
195-1534	K3000		25	1000



ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0067**.



BUFLEX DRY SUPER TACK INTERFACE PAD 125 MM - 7 HOLES

Art. No.	Box
971-0067	FEMALE - FEMALE VELCRO 2



UTILIZE BUFLEX DRY EXCLUSIVELY IN COMBINATION WITH THE MATCHING, INNOVATIVE FEMALE-FEMALE VELCRO INTERFACE PADS FOR A PERFECT SANDING RESULT. THIS AVOIDS SANDING SCRATCHES CAUSED BY WRONG VELCRO AND LEAVES LESS SCRATCHES WHICH RESULTS IN SHORTER POLISHING TIME.


BUFLEX DRY SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-1513	K2000		50	1800
730-1515	K2500		50	1800
730-1514	K3000		50	1800

NEW



ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0068**.



BUFLEX DRY SUPER TACK INTERFACE PAD 75 MM - WITHOUT HOLES

Art. No.	Box
971-0068	4




BUFLEX DRY SUPER TACK SHEETS 130 x 170 MM

Art. No.	Grit	Application	Box	Carton
191-1532	K2000		25	500
191-1534	K2500		25	500
191-1531	K3000		25	500

NEW



WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.
USE IN COMBINATION WITH HAND PAD **971-0060** FOR MANUAL USE AND WITH INTERFACE PAD **971-0061** FOR MACHINE USE.



FINISHING

BUFLEX DRY SUPER TACK HAND PAD & INTERFACE PAD 78 x 123 MM

Art. No.	Box
971-0060	2

FOR MANUAL USE.

Art. No.	Box
971-0061	2

FOR MACHINE USE.




BUFLEX WET STICK-ON

BUFLEX WET STICK-ON DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
192-1502	K2000		25	1500
192-1501	K3000		25	1500

 USE IN COMBINATION WITH TOLEX/BUFLEX WET INTERFACE PAD (971-0014).



TOLEX / BUFLEX WET INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES

Art. No.	Box
971-0014	2



BUFLEX WET STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1502	K2000		25	750
191-1501	K3000		25	750

 USE IN COMBINATION WITH BUFLEX STICK-ON PAD NH (HARD) 971-0013 OR PAD NS (SOFT) 971-0012.



BUFLEX WET STICK-ON HAND PAD NH - HARD 110 X 70 X 50 MM

Art. No.	Box
971-0013	2



BUFLEX WET STICK-ON HANDPAD NS - SOFT 110 X 70 X 50 MM


Art. No.	Box
971-0012	2



ASSILEX STICK-ON & ACCESSORIES


ASSILEX STICK-ON SHEETS 85 X 130 MM

Art. No.	Grit	Application	Box	Carton
191-1505	K800		50	1000
191-1504	K1500		50	1000




ASSILEX STICK-ON HAND PAD AU - **HARD** 83 X 130 MM

Art. No.	Box
971-0020	2



ASSILEX STICK-ON HAND PAD AH - **SOFT** 83 X 130 MM


Art. No.	Box
971-0021	2



FINISHING

ASSILEX STICK-ON HAND PAD AS - **SOFT** 83 X 130 MM

Art. No.	Box
971-0022	6



POLISH

K2IN1 - RUBBING POLISH COMPOUND 1 L

Art. No.	Box	Carton
852-1898	1	6

 USE IN COMBINATION WITH THE YELLOW HEXAGON PAD **858-6751** OR **858-6752**. FOR MORE AGGRESSIVENESS USE THE WOOL COMPOUNDING PADS **858-6798** & **858-6797**.

 ONE SOLUTION FOR ALL MODERN PAINT SYSTEMS. HIGH CUTTING POWER AND LONG LASTING GLOSSY FINISH.



K2 - POLISH COMPOUND 1 L

Art. No.	Box	Carton
852-1847	1	6

 USE IN COMBINATION WITH THE BLACK HEXAGON FOAM PAD **858-6754** OR **858-6755**.

 PERFECT FOR DARK PAINT COLOURS WITH A SWIRL & HOLOGRAM FREE, HIGH GLOSS FINISH.



RUBBING COMPOUND - ULTRA FINE 1 L

Art. No.	Box	Carton
852-1870	1	6

 APPLY WITH FOAM PAD **M00-4045** OR THE YELLOW HEXAGON FOAM PADS **858-6751** & **858-6752**.



EAGLE PLEX - WATERBASE 1 L

Art. No.	Box	Carton
852-4050	1	6

SPECIALLY MADE TO REMOVE SCRATCHES IN PLEXIGLAS AND POLYCARBONATE.



RUBBING COMPOUND - ULTRA MORDENTE 4 L

Art. No.
852-4009

VERY AGGRESSIVE. IDEAL FOR THE MARINE INDUSTRY.



POLISH PADS

YELLOW HEXAGON FOAM PAD - **HARD** 190 MM & 100 MM

Art. No.		Box
858-6751	190 MM	1
858-6752	100 MM	2

 190 MM SUITABLE FOR BACK-UP PAD 150 MM (**858-0120**) (PAGE 44).
100 MM SUITABLE FOR BACK-UP PAD 72 MM (**M00-4043**) (PAGE 45).
LESS HEAT DEVELOPMENT THANKS TO THE HEXAGON STRUCTURE.



BLACK HEXAGON FOAM PAD - **SOFT** 190 MM & 100 MM

Art. No.		Box
858-6754	190 MM	1
858-6755	100 MM	2

 190 MM SUITABLE FOR BACK-UP PAD 150 MM (**858-0120**) (PAGE 44).
100 MM SUITABLE FOR BACK-UP PAD 72 MM (**M00-4043**) (PAGE 45).
LESS HEAT DEVELOPMENT THANKS TO THE HEXAGON STRUCTURE.



WOOL COMPOUNDING PADS 150 MM & 80 MM

Art. No.		Box
858-6798	150 MM	1
858-6797	80 MM	1

 100% NATURAL LAMBS WOOL. USE THE WOOL COMPOUNDING PADS WHEN MORE AGGRESSIVENESS IS REQUIRED. ONLY USE IN COMBINATION WITH K2IN1.



WOOL COMPOUNDING PADS & FOAM PAD - **HARD & SOFT** 80 MM

Art. No.		Box	Carton
M00-4047	Wool - Hard	1	20
M00-4048	Wool - Soft	1	10
M00-4045	Foam - Soft	1	10



PROMAX

AIR 150

PNEUMATIC RANDOM ORBITAL SANDER - 150 MM



POLISHER 150

ELECTRIC POLISHER - 150 MM

DUST EXTRACTOR

INDUSTRIAL ELECTRO-PNEUMATIC
DUST EXTRACTOR L & M-CLASS



**PROMA-X AIR 150
PNEUMATIC RANDOM ORBITAL SANDER - 150 MM**

Art. No.	Thread Size	Box
910-0600		1

MAX. ROTATION: 12.000 RPM. AIR CONSUMPTION: 480 L/MIN. WEIGHT: 0,95 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **885-0159**. NOT COVERED BY WARRANTY IN CASE OF INDUSTRIAL USAGE.




**PROMA-X AIR 150 BACK-UP PAD - MEDIUM
150 MM - 15 HOLES**

Art. No.	Thread Size	Box
885-0159	5/16"	1



**BACK-UP PAD MULTIHOLE - MEDIUM
150 MM - 15 HOLES**

Art. No.	Thread Size	Box
889-5467	5/16"	1



**PROMA-X POLISHER 150
ELECTRIC POLISHER**

Art. No.	Box
910-0700	1

ROTATIONS: 750 - 1,850 RPM, 6 SPEEDS. VOLTAGE: 230 V. POWER: 1100 W.
WEIGHT: 2,2 KG. USE IN COMBINATION WITH BACK-UP PAD **858-0120** (PAGE 44).



PROMA-X DUST EXTRACTOR

KEEP YOUR WORKPLACE CLEAN WITH THE PROMA-X DUST EXTRACTORS. CHOOSE THE COMBINATION THAT BEST FITS TO YOUR NEEDS, THANKS TO THE TWO OPTIONAL UPGRADES.

PROMA-X DUST EXTRACTOR L-CLASS

THE L-CLASS CAN VACUUM DUST OF **1 MG/M3**. THE PROMA-X DUST EXTRACTOR SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE (910-0840).



+



Art. No. 910-8240

L-CLASS DUST EXTRACTOR

ANTISTATIC DUST HOSE

UPGRADE TO PNEUMATIC ANTISTATIC DUST HOSE

+ HOSE-IN-HOSE SYSTEM
+ THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



Art. No. 910-8230

L-CLASS DUST EXTRACTOR

ANTISTATIC PNEUMATIC DUST HOSE*

*INSTEAD OF ANTISTATIC DUST HOSE

UPGRADE TO M-CLASS

+ EVEN LESS DUST EXPOSURE
+ EXTRA SAFETY INDICATOR PREVENTS OVERLOADED DUST BAG

PROMA-X DUST EXTRACTOR M-CLASS

THE M-CLASS CAN VACUUM DUST OF **0,1 MG/M3**. THE PROMA-X DUST EXTRACTOR SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE (910-0840).



+



Art. No. 910-8140

M-CLASS DUST EXTRACTOR

ANTISTATIC DUST HOSE

UPGRADE TO PNEUMATIC ANTISTATIC DUST HOSE

+ HOSE-IN-HOSE SYSTEM
+ THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



Art. No. 910-8130

M-CLASS DUST EXTRACTOR

ANTISTATIC PNEUMATIC DUST HOSE*

*INSTEAD OF ANTISTATIC DUST HOSE

- EXTREMELY QUIET
- SELF-CLEANING FILTER
- SUITED FOR LIQUID ABSORPTION
- LARGE DUST CAPACITY (45L)

FOR A CLEAN & HEALTHY WORK ENVIRONMENT.

**PROMA-X DUST EXTRACTOR
PNEUMATIC ANTISTATIC DUST HOSE - 5 M**

Art. No.	Box
910-0830	1

THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



**PROMA-X DUST EXTRACTOR
ANTISTATIC DUST HOSE - 5 M**

Art. No.	Box
910-0840	1



**PROMA-X DUST EXTRACTOR
DUST BAG SET OF 5 PIECES**

Art. No.	Box
910-0815	5

THE DUST BAGS HAVE A CAPACITY OF 5 KG.



**PROMA-X DUST EXTRACTOR
2 WAY UNION**

Art. No.	Box
910-0812	1



**PROMA-X DUST EXTRACTOR
FILTERS M & L CLASS SET 2 PIECES**

Art. No.	Box
910-0813	2



TOOLS & OTHER

TOOLS

MINI ORBITAL SANDER KD-501 72 MM

Art. No.	Box	Carton
910-7501	1	20

MAX. ROTATION: 13.000 RPM. AIR CONSUMPTION: 275 L/MIN. WEIGHT: 0,62 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **M750-148** (PAGE 45).



TOUCH-UP SANDER 31 MM

Art. No.	Box	Carton
910-3501	1	20

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 140 L/MIN. WEIGHT: 0,475 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-3501-44** AND
STICK-ON INTERFACE TRANSFER PAD **910-3501-36** (PAGE 29).



TOUCH-UP SUPER TACK PAD 31 MM

Art. No.	Box
910-3501-44	1


 FOR TOUCH-UP SANDER (**910-3501**), USE IN COMBINATION WITH STICK-ON
INTERFACE TRANSFER PAD (**910-3501-36**) (PAGE 29).



ASSILEX / BUFLEX DRY SANDER KO-202 70 X 115 MM

Art. No.	Box	Carton
910-0202	1	6

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 340 L/MIN. WEIGHT: 0,74 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-0202-36** AND
SUPER ASSILEX INTERFACE PAD **971-0035** (PAGE 26).



POLISHER KP-302
123 MM

Art. No.	Box	Carton
910-0302	1	6

MAX. ROTATION: 3.000 RPM. AIR CONSUMPTION: 450 L/MIN. WEIGHT: 1,20 KG.
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD (972-3201).



POLISHER KP-301
72 MM

Art. No.	Box	Carton
910-0301	1	10

MAX. ROTATION: 2.500 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,70 KG.
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD M00-4043 (PAGE 45) AND WOOL COMPOUNDING PAD M00-4047 (PAGE 37).



POLISHER 450 PL
72 MM

Art. No.	Box	Carton
M00-4000	1	10

MAX. ROTATION: 5.000 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,90 KG.
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD M00-4043 (PAGE 45), WOOL COMPOUNDING PAD M00-4047 AND FOAM PAD M00-4045 (PAGE 37).



TOOLS & OTHER

WARRANTY
1+2

UNIQUE WARRANTY IN FIRST YEAR

WITH A KOVAX MACHINE YOU ARE OFFERED THE MOST EXTENSIVE WARRANTY THERE IS IN THE MARKET. DIFFERENT TO THE COMPETITION KOVAX GUARANTEES STANDARD 1-YEAR WARRANTY INCLUDING WEAR AND TEAR PARTS, WHICH ARE NORMALLY EXCLUDED FROM THE WARRANTY. KOVAX DOES THAT DIFFERENTLY, BECAUSE THE KOVAX BRAND STANDS FOR HIGH QUALITY, WHICH MEANS MACHINES SHOULD LAST A YEAR OR MORE WITHOUT ANY DEFECTS.

REGISTER YOUR MACHINE FOR EXTRA WARRANTY

REGISTER YOUR MACHINE ONLINE WITHIN 30 DAYS AFTER PURCHASE AND EXTEND YOUR STANDARD WARRANTY OF 1 YEAR WITH 2 EXTRA YEARS. FOR REGISTRATION AND MORE INFORMATION VISIT WWW.KOVAX.EU/WARRANTY.

BACK-UP PADS & INTERFACE PADS


BACK-UP PAD - MEDIUM 150 MM - 15 HOLES

Art. No.	Thread Size	Box
M00-1070	5/16" + M8	1



BACK-UP PAD - MEDIUM 150 MM - 7 HOLES

Art. No.	Thread Size	Box
M00-1038	5/16"	1



BACK-UP PAD FOR POLISHER 150 MM

Art. No.	Thread Size	Box
858-0120	M14	1



BACK-UP CONVERSION PAD - MEDIUM 125 MM - 7 HOLES


Art. No.	Thread Size	Box
972-0003	5/16" conversion pad	1

CONVERTS A 152 MM SYSTEM INTO A 125 MM SYSTEM.



BACK-UP PAD - MEDIUM 125 MM - 7 HOLES

Art. No.	Thread Size	Box
972-0015	5/16"	1



**BACK-UP PAD FOR POLISHER
75 MM**

Art. No.	Thread Size	Box
M00-4043	5/16"	1



**BACK-UP PAD
75 MM**

Art. No.	Thread Size	Box
M750-148	M6	1



**INTERFACE PAD - SOFT
150 MM - 15 HOLES**

Art. No.	Box
M00-4633	1



**INTERFACE PAD - SOFT
125 MM - 7 HOLES**

Art. No.	Box
971-0044	2



**INTERFACE PAD - SOFT
75 MM**

Art. No.	Box
971-7502	4

 USE IN COMBINATION WITH BACK-UP PAD **M750-148**.



**INTERFACE PAD - SOFT
75 MM**

Art. No.	Box
971-7503	4



ACCESSORIES

SPY SPRAY 400 ML

Art. No.	
852-5500	Black
852-5510	White

 USE WHEN SANDING PUTTY AND PRIMER.



DRY GUIDE COAT 100 G

Art. No.	
886-2001	Black
886-2002	Orange

INCL. APPLICATOR AVAILABLE FROM MID QUARTER 1.

 USE WHEN SANDING PUTTY AND PRIMER.



MICRO BRUSHES

Art. No.	Box
886-1050	100



MICROFIBER CLOTH 400 X 400 MM

Art. No.	Box
851-4161	1



PREMIUM MASKING TAPE

Art. No.	Dimension	Box
900-5018	18 MM X 50 M	48
900-5024	24 MM X 50 M	36
900-5036	36 MM X 50 M	24
900-5048	48 MM X 50 M	24



AVAILABLE FROM MID QUARTER 1.

COMPATIBLE FOR NEARLY ALL COMMON WATERBASED AS WELL AS SOLVENT-BASED PAINTS. HEAT RESISTANT: 80°C FOR 30 MINUTES. EXCELLENT PROPERTIES FOR RADII AND ROUND SHAPED SURFACES. GOOD TAPE-ON-TAPE ADHESION. EASY REMOVAL. LEAVES NO RESIDUES (WHEN REMOVED ON TIME WHEN PAINT IS DRY).

PREMIUM SPRAY SUIT

Art. No.	Size	Box	Carton
888-0020	M (46/48)	1	15
888-0030	L (50/52)	1	15
888-0040	XL (54/56)	1	15
888-0050	2XL (58/60)	1	15

ADJUSTABLE WAIST FOR PERFECT FIT. ELASTIC HOOD AND WRIST CUFFS. WASHABLE. 2-WAY ZIPPER. VENTILATION. ANTISTATIC PROPERTIES.



HANDBLOCKS

ERGONOMIC HANDBLOCK 70 X 419 MM - 14 HOLES

Art. No.

887-0230



ERGONOMIC HANDBLOCK 115 X 225 MM - 10 HOLES

Art. No.

887-0240



ERGONOMIC HANDBLOCK 70 X 198 MM - 8 HOLES

Art. No.

887-0210



ERGONOMIC HANDBLOCK 70 X 125 MM - 8 HOLES

Art. No.

887-0220



ERGONOMIC HANDBLOCK WITH 4 ADAPTORS 70 X 198 MM - MULTIHOLE

Art. No.

887-0250



**HANDBLOCKS FOR DISCS
152 MM**

Art. No.

885-0220

PLANE

885-0223

ROUND



**HANDBLOCK SET FOR DISCS
152 MM**

Art. No.

885-0224



SPECIFICATIONS

KOVAX QUALITY MEETS
PRO-FESSIONAL TOOLS

64 X 46 X 150 CM

EQUIPPED WITH A LOCK

PORTABLE BOXES
TO EASILY MOVE BETWEEN
WORKSPACES

PRO-MATE WORKSTATION



WANT TO KNOW ALL
SPECS? SCAN AND
DOWNLOAD THE
PRO-MATE LEAFLET.



SCAN AND WATCH
THE PRO-MATE IN
ACTION ON OUR
YOUTUBE CHANNEL.



CREATE YOUR OWN PERFECT WORKSPACE.

THE **PRO-MATE WORKSTATION** CONTAINS THE FOLLOWING ACCESSORIES:



LOW PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 75 MM HIGH DRAWERS AND IS ABLE TO HOLD SIX 170 X 190 X 41 MM PACKAGES.
One included



HIGH PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 154 MM HIGH DRAWERS AND IS ABLE TO HOLD UP TO SIX 170 X 180 X 110 MM PACKAGES.
One included



BOTTLE HOLDER

STORE YOUR POLISH BOTTLES (IN THE TWO Ø 90 MM HOLES) AND SPY SPRAY CAN (IN THE Ø 75 MM HOLE).
One included



PEGBOARD HOOK

EASILY HANG UP YOUR DISCS & INTERFACE PADS ON THIS 100 MM HOOK.
Eight included



MACHINE HOLDER

SUITABLE FOR ALL KOVAX MACHINES (EXCEPT 31 MM).
Two included

PRO-MATE WORKSTATION

Art. No.	Box
920-0001	1

PRO-MATE ACCESSORIES

Art. No.		Box
920-0022	HIGH PORTABLE BOX	1
920-0021	LOW PORTABLE BOX	1
920-0023	BOTTLE HOLDER	1
920-0020	MACHINE HOLDER	1
920-0024	PEGBOARD HOOKS	6
920-0025	FOAM-X BOX	1



ALSO AVAILABLE
BUT NOT INCLUDED IN THE STANDARD PRO-MATE

FOAM-X BOX

THIS BOX CAN EASILY BE FITTED TO BOTH SIDES OF THE PRO-MATE. THE FOAM-X BOX IS DESIGNED TO HOLD ONE FOAM-X ROLL.

THIS KIT CONTAINS THE FOLLOWING
INNOVATIVE PRODUCTS FOR THE
RENEWAL OF POLYCARBONATE
HEADLIGHTS



SPOT ON 2.0 KIT

Art. No.	Description	QTY.
999-8812	SPOT ON 2.0 KIT	
852-1551	CLEAR COAT 125 G	1
852-1552	CATALYST 125 G	1
858-8230	HITEX 4000	2
858-5690	SPATULA	1
858-5810	MIXING CUP 300 ML	1
191-1508	SUPER ASSILEX SUPER TACK SHEETS - SKY K600	2
191-1509	SUPER ASSILEX SUPER TACK SHEETS - LEMON K800	2
191-1510	SUPER ASSILEX SUPER TACK SHEETS - ORANGE K1200	2
971-0025	SUPER ASSILEX SUPER TACK HAND PAD M	1
523-0180	MAXFILM SUPER TACK DISCS 152 MM 15H - P180	2
523-0240	MAXFILM SUPER TACK DISCS 152 MM 15H - P240	2
523-0320	MAXFILM SUPER TACK DISCS 152 MM 15H - P320	2
523-0400	MAXFILM SUPER TACK DISCS 152 MM 15H - P400	2
191-1513	TOLECUT STICK-ON SHEETS PINK - K1500	2
191-1512	TOLECUT STICK-ON SHEETS GREEN - K2000	2
191-1511	TOLECUT STICK-ON SHEETS BLACK - K3000	2
971-0048	TOLECARD 66 X 110 MM	1

INCLUDING MANUAL.



CLEAR COAT & CATALYST MIX RATIO 1:1.



PRO-XPOSE SHOWCASE

Art. No.

921-0000

ESPECIALLY DESIGNED FOR TRAINING-/TEST CENTRUMS AND SHOPS.

REGISTER

MAXCUT



Grit	115 x 225 MM - 10H	70 x 419 MM - 14H	70 x 198 MM - 8H	70 x 127 MM - 8H
P60	516-0060	799-0060	547-0060	
P80	516-0080	799-0080	547-0080	546-0080
P120	516-0120	799-0120	547-0120	546-0120
P180	516-0180	799-0180	547-0180	546-0180
Page	18	18	18	18



Grit	203 MM - 8H	152 MM - 15H	152 MM - 7H	152 MM	125 MM - 7H	125 MM
P60	583-0060	569-0060	563-0060	562-0060		552-0060
P80	583-0080	569-0080	563-0080	562-0080	553-0080	552-0080
P120	583-0120	569-0120	563-0120	562-0120	553-0120	552-0120
P180		569-0180	563-0180	562-0180		552-0180
Page	10	10	10	10	11	11

PREMIUM



Grit	115 x 225 MM - 10H	70 x 419 MM - 14H	70 x 198 MM - 8H	70 x 127 MM - 8H
P80	716-0080	748-0080	747-0080	
P120	716-0120	748-0120	747-0120	
P180	716-0180	748-0180	747-0180	
P240	716-0240	748-0240	747-0240	746-0240
P320	716-0320	748-0320	747-0320	746-0320
P400	716-0400	748-0400	747-0400	
Page	19	19	19	19



Grit	203 MM - 8H	152 MM - 15H	152 MM - 7H	152 MM	75 MM
P60		568-0060	566-0060		730-0060
P80		568-0080	566-0080	565-0080	730-0080
P120		568-0120	566-0120	565-0120	730-0120
P150		568-0150	566-0150		730-0150
P180	786-0180	568-0180	566-0180	565-0180	730-0180
P220		568-0220	566-0220	565-0220	730-0220
P240	786-0240	568-0240	566-0240	565-0240	730-0240
P280		568-0280	566-0280		730-0280
P320	786-0320	568-0320	566-0320	565-0320	730-0320
P360		568-0360	566-0360		
P400		568-0400	566-0400	565-0400	730-0400
P500		568-0500	566-0500	565-0500	730-0500
P600		568-0600	566-0600	565-0600	730-0600
Page	14	14	14	15	15

TRI-PRO



Grit	152 MM - 15H	152 MM	125 MM - 8H	125 MM	115 MM x 25 M
P40	527-0040				872-0040
P60	527-0060	525-0060	557-0060	514-0060	872-0060
P80	527-0080	525-0080	557-0080	514-0080	872-0080
P100	527-0100	525-0100	557-0100	514-0100	
P120	527-0120	525-0120	557-0120	514-0120	872-0120
P150	527-0150	525-0150	557-0150	514-0150	872-0150
P180	527-0180	525-0180	557-0180	514-0180	872-0180
P220	527-0220	525-0220	557-0220	514-0220	
P240	527-0240	525-0240	557-0240	514-0240	872-0240
P280	527-0280	525-0280	557-0280	514-0280	
P320	527-0320	525-0320	557-0320	514-0320	872-0320
P360	527-0360	525-0360	557-0360	514-0360	
P400	527-0400	525-0400	557-0400	514-0400	872-0400
P500	527-0500	525-0500	557-0500	514-0500	
P600	527-0600	525-0600	557-0600	514-0600	
Page	12	12	13	13	22

MAXFILM



Grit	152 MM - 15H	152 MM - 7H	125 MM - 7H
P80	523-0080		
P120	523-0120	521-0120	513-0120
P150	523-0150	521-0150	513-0150
P180	523-0180	521-0180	513-0180
P220	523-0220	521-0220	513-0220
P240	523-0240	521-0240	513-0240
P280	523-0280	521-0280	
P320	523-0320	521-0320	513-0320
P360	523-0360	521-0360	
P400	523-0400	521-0400	513-0400
P500	523-0500	521-0500	513-0500
P600	523-0600	521-0600	513-0600
Page	16	16	16

MAGIC DISC



Grit	152 MM - 15H
320	528-0320
400	528-0400
500	528-0500
Page	17

YELLOW FILM



Grit	152 MM - 15H	152 MM - 7H	152 MM	125 MM - 7H	75 MM	35 MM STICK-ON
P800	524-0800	779-0800	778-0800	555-0800	730-0800	
P1000	524-1000	779-1000	778-1000	555-1000		
P1200	524-1200	779-1200	778-1200	555-1200		
P1500	524-1500	779-1500	778-1500	555-1500	730-1500	881-1500
P2000	524-2000				730-2000	881-2000
Page	17 / 28	17 / 28	17 / 29	17 / 29	29	29

SUPER ASSILEX



Grit	152 MM - 15H	152 MM - 7H	125 MM - 7H	75 MM	130 x 170 MM
K240	193-2537				191-2517
K320	193-2535				191-2515
K360	193-1575				191-1515
K400	193-2533				191-2513
K500	193-2532				191-2512
K600	193-1578	193-1538	195-1538	730-2510	191-1508
K800	193-1579	193-1539	195-1539	730-2508	191-1509
K1000	193-2527				193-2507
K1200	193-1580	193-1540	195-1540	730-2507	191-1510
K1500	193-2525				191-2505
Page	24	24	24	24	26

ASSILEX



Grit	85 x 130 MM STICK-ON
K800	191-1505
K1500	191-1504
Page	35

TOLEX



Grit	152 MM - 15H	125 MM - 7H	75 MM	130 x 170 MM	152 MM STICK-ON	70 x 114 MM STICK-ON
K1500	193-1563	195-1593	730-1502	191-1533	192-1503	191-1503
Page	30	30	30	30	31	31

TOLECUT



Grit	34 MM STICK-ON	70 x 114 MM STICK-ON	29 x 35 MM STICK-ON	70 x 29 MM STICK-ON
K800		191-1517	191-1527	191-1547
K1200		191-1516	191-1526	191-1546
K1500	192-1513	191-1513	191-1523	
K2000	192-1512	191-1512	191-1522	
K2500		191-1519	191-1528	
K3000	192-1511	191-1511	191-1521	
Page	28	27	27	27

REGISTER

BUFLEX DRY



Grit	152 MM - 15H	125 MM - 7H	75 MM	130 x 170 MM
K2000	193-1565	195-1535	730-1513	191-1532
K2500	193-1562		730-1515	191-1534
K3000	193-1564	195-1534	730-1514	191-1531
Page	32	32	33	33

BUFLEX WET



Grit	152 MM STICK-ON	70 x 114 MM STICK-ON
K2000	192-1502	191-1502
K3000	192-1501	191-1501
Page	34	34

HIGHFLEX SOFTPADS



Grit	115 x 140 x 6 MM	115 x 140 x 6 MM
Medium	HFX-MEDIUM	HFX-MEDIUM-20
Fine	HFX-FINE	HFX-FINE-20
Super Fine	HFX-SUPERFINE	HFX-SUPERFINE-20
Ultra Fine	HFX-ULTRAFINE	HFX-ULTRAFINE-20
Micro Fine	HFX-MICROFINE	HFX-MICROFINE-20
Page	21	21

DOUBLEFLEX SOFTPADS



Grit	123 X 98 X 13 MM
Medium - Grey	901-0010
Fine - Red	901-0020
Super Fine - Blue	901-0030
Ultra Fine - Green	901-0040
Micro Fine - Beige	901-0050
Page	21

FOAM-X ROLL



Grit	115 MM x 25 M
P180	KFX-0180
P240	KFX-0240
P320	KFX-0320
P400	KFX-0400
P500	KFX-0500
P600	KFX-0600
P800	KFX-0800
Page	20

SANDING BLOCK 4 SIDED



Grit	100 X 68 X 25 MM
Medium	902-0010
Fine	902-0020
Super Fine	902-0030
Ultra Fine	902-0040
Page	21

WATERPROOF



Grit	SILICON CARBIDE 230 x 280 MM	ALUMINIUM OXIDE 230 x 280 MM
P60	101-0060	
P80	101-0080	
P100	101-0100	
P120	101-0120	
P150	102-0150	
P180	102-0180	105-0180
P220	102-0220	105-0220
P240	102-0240	105-0240
P280	102-0280	105-0280
P320	102-0320	105-0320
P360	102-0360	
P400	102-0400	105-0400
P500	102-0500	105-0500
P600	102-0600	105-0600
P800	102-0800	105-0800
P1000	102-1000	105-1000
P1200	102-1200	105-1200
P1500	102-1500	
P2000	102-2000	
Page	23	22

REGISTER

KOFLE-X



Grit	SLIM RED 115 x 230 MM	SLIM GREY 115 x 230 MM	PERFORMANCE RED 115 MM x 230 MM	PERFORMANCE GREY 115 MM x 230 MM	PERFORMANCE RED 115 MM x 10 M	PERFORMANCE GREY 115 MM x 10 M
Very Fine	900-7950		900-7952		900-7954	
Ultra Fine		900-7951		900-7953		900-7955
Page	20	20	20	20	20	20

SHEETS



Grit	115 x 280 MM SHEETS WITHOUT ADHESION
P40	220-0040
P60	221-0060
P80	221-0080
P100	221-0100
P120	221-0120
P150	224-0150
P180	224-0180
P220	224-0220
P240	224-0240
P280	224-0280
P320	224-0320
P360	224-0360
P400	224-0400
Page	22

HANDBLOCKS



	SUPER ASSILEX HANDBLOCKS	ERGONOMIC HANDBLOCKS	CANDYBLOCK	HANDBLOCKS FOR 152 MM DISCS
	120 x 160 MM 885-2140	115 x 225 MM 887-0240	140 x 70 MM 45 x 70 MM 971-0001	PLANE 885-0220
	72 x 125 MM 885-2190	70 x 419 MM 887-0230		ROUND 885-0223
		70 x 198 MM 887-0210		SET 885-0224
		70 x 125 MM 887-220		
		70 x 198 MM WITH 4 ADAPTERS 887-0250		
Page	26	48	23	49

BACK-UP PADS



150 MM - 15H	150 MM - 7H	150 MM	125 MM - 8H	125 MM - 7H	75 MM
885-0159 (P. 39)	M00-1038 (P. 44)	858-0120 (P. 44)	885-0169 (P. 13)	972-0003 (P. 44)	M00-4043 (P. 45)
885-0163 (P. 25)				972-0015 (P. 44)	M750-148 (P. 45)
889-5467 (P. 39)					
M00-1070 (P. 44)					

INTERFACE PADS



150 MM - 15H	150 MM - 7H	150 MM STICK-ON	125 MM - 8H	125 MM - 7H	75 MM	31 MM
M00-4633 (P. 45)	971-0049 (P. 25)	971-0017 (P. 31)	885-0712 (P. 13)	971-0044 (P. 45)	971-0068 (P. 33)	910-3501-36 (P. 29)
971-0027 (P. 30)	971-0039 (P. 25)	971-0014 (P. 31 / 34)		971-0067 (P. 32)	971-7502 (P. 45)	
971-0057 (P. 25)					971-7503 (P. 45)	
971-0065 (P. 32)						
971-0091 (P. 25)						



120 x 160 MM SUPER ASSILEX	78 x 123 MM BUFLEX DRY	75 x 120 MM SUPER ASSILEX	72 x 125 MM SUPER ASSILEX
885-2191 (P. 26)	971-0061 (P. 33)	971-0035 (P. 26)	885-2197 (P. 26)

HAND PADS



97 x 150 MM SUPER ASSILEX	83 x 130 MM ASSILEX STICK-ON	78 x 123 MM BUFLEX DRY	75 x 120 MM SUPER ASSILEX	70 x 110 MM BUFLEX WET STICK-ON	66 x 110 MM TOLECUT STICK-ON	62 x 111 MM TOLEX STICK-ON	26 x 32 MM TOLEBLOCK STICK-ON	31 MM DOUBLE FINGER PAD
971-0026 (P. 26)	971-0020 (P. 35)	971-0060 (P. 33)	971-0025 (P. 26)	971-0012 (P. 34)	858-1550 (P. 27)	971-0016 (P. 31)	971-0047 (P. 27)	971-0023 (P. 29)
	971-0021 (P. 35)		971-0094 (P. 26)	971-0013 (P. 34)	971-0048 (P. 27)			
	971-0022 (P. 35)							




M TOLEBLOCK STICK-ON	OS TOLEBLOCK STICK-ON	QM TOLEBLOCK STICK-ON
971-0055 (P. 28)	971-0056 (P. 28)	971-0059 (P. 28)

POLISH COMPOUNDS & MATTING PASTE



MATTING PASTE - FINE WATERBASE	EAGLE PLEX - WATERBASE	K2IN1 RUBBING POLISH COMPOUND	K2 POLISH COMPOUND	RUBBING COMPOUND ULTRA FINE
852-0260 (P. 20)	852-4050 (P. 36)	852-1898 (P. 36)	852-1847 (P. 36)	852-1870 (P. 36)



190 MM	150 MM	100 MM	80 MM
858-6751 (hard) ●	858-6798 ●	858-6752 (hard) ●	858-6797 ●
858-6754 (soft) ●		858-6755 (soft) ●	M00-4045 (soft) ●
			M00-4047 (hard) ●
			M00-4048 (soft) ●
P. 37	P. 37	P. 37	P. 37

TOOLS



150 MM	72 MM	31 MM	70 x 115 MM	PROMA-X DUST EXTRACTOR	PRO-MATE WORKSTATION
910-0600 (P. 39)	910-7501 (P. 42)	910-3501 (P. 42)	910-0202 (P. 42)	L-Class (P. 40)	920-0001 (P. 50)
				M-Class (P. 40)	

POLISHERS



150 MM	123 MM - KP-302	72 MM - 450 PL	72 MM - KP-301
910-0700 (P. 39)	910-0302 (P. 43)	M00-4000 (P. 43)	910-0301 (P. 43)

PREMIUM MASKING TAPE



Dimension	
18 MM X 50 M	900-5018
24 MM X 50 M	900-5024
36 MM X 50 M	900-5036
48 MM X 50 M	900-5048
Page	47

PREMIUM SPRAY SUIT



Size	
M (46/48)	888-0020
L (50/52)	888-0030
XL (54/56)	888-0040
2XL (58/60)	888-0050
Page	47

SPY SPRAY



BLACK	WHITE
852-5500 (P. 46)	852-5510 (P. 46)

DRY GUIDE



BLACK	ORANGE
886-2001 (P. 46)	886-2002 (P. 46)



PRO-XPOSE SHOWCASE
921-0000 (P. 52)

REGISTER

Follow us on Social Media:



Scan the QR code and
download the Kovax App.

Available for Android & iOS.

